

April 11, 2007

Baker Engineering NY, Inc. 8000 Regency Parkway Suite 200 Cary, North Carolina 27518 919-463-5488 FAX 919-463-5490

Lappas and Havener, P.A. The Imperial Building 215 Morris Street, Suite 150 Durham, NC 27715

Attention: Mr. Grayson Baur

Subject: Preliminary Wetland Determination

Dry Creek Greenway BAKER Project 110706

#### Dear Mr. Baur:

Baker Engineering NY, Inc. (BAKER) is pleased to submit this preliminary determination of jurisdictional waters of the U.S., including wetlands, at the approximately one-mile long subject corridor, located along the south side of Interstate Highway 40 (I-40) between Erwin Road and U.S. Highway 15/501 (US-15/501) in Chapel Hill, Orange County, North Carolina. This report documents the methodology used to assess approximate boundaries of jurisdictional waters of the U.S., the results of map and field review, and recommendations concerning potential permitting requirements under Section 404 of the Clean Water Act (33 U.S.C. 1344).

#### **Background and Methodology**

BAKER was contracted, in accordance with your authorization dated January 12, 2007, to conduct preliminary wetland mapping for planning purposes followed by wetland boundary approximation within 25 feet of one trail alignment, at the proposed location of the Dry Creek trail in Chapel Hill (Figure 1).

Jurisdictional wetlands are defined by 33 CFR 328.3(b) and are protected by Section 404 of the Clean Water Act (CWA), which is administered and enforced in North Carolina by the U.S. Army Corps of Engineers (USACE), Wilmington District. Jurisdictional wetlands are defined as areas that have positive evidence in the field of the following three environmental parameters:

- Hydrophytic vegetation (vegetation typically adapted for life in saturated soil conditions);
- Wetland hydrology (substrate that is inundated or saturated to the surface at some time during the growing season); and
- Hydric soils (soils that possess characteristics that are associated with reducing/anaerobic soil conditions).

Wetlands on the subject property were determined using the Routine On-Site Determination Method as defined in the 1987 Corps of Engineers Wetlands Delineation Manual. BAKER's Richard Darling reviewed the site on January 12, 2007 during preliminary corridor assessment with Mr. Grayson Baur and Ms. Katherine Gill of Lappas and Havener, P.A. (LHPA). Observations of the soil, vegetation, and hydrology were made on selected portions of the study area in order to make appropriate wetland/upland determinations. However, jurisdictional waters/upland boundaries were not flagged in



Mr. Grayson Baur April 11, 2007 Page 2 of 6

the field or surveyed at that time. The following references were reviewed to identify possible wetland areas, streams, and open water (collectively referred to as "waters of the U.S."):

- U.S. Geological Survey (USGS) 7.5-minute Topographic Quadrangle (Chapel Hill, NC);
- U.S. Department of Agriculture (USDA) Natural resources Conservation Service (NRCS) Soil Survey of Orange County;
- U.S. Fish and Wildlife Service (USFWS) National Wetlands Inventory (NWI), Chapel Hill quadrangle;
- Town of Chapel Hill color aerial photography and topographic survey provided by LHPA.

On February 23, 2007, BAKER's Dwayne Huneycutt and Chris Arrington surveyed potential trail centerline locations and the wetland/upland boundary at locations where the LHPA-identified trail was proposed to traverse potential jurisdictional wetlands and/or streams. Hand-held global positioning system (GPS) equipment was used to survey the trail centerline as identified by LHPA. The approximate boundaries of potential jurisdictional wetlands were delineated in the field and recorded with GPS within 25 feet of the trail centerline. Routine Wetland Determination Data Forms were completed at the proposed trail crossing locations consistent with the 1987 USACE Wetlands Delineation Manual. Perennial and intermittent stream channels traversed by the proposed trail were identified within 25 feet of the trail centerline. North Carolina Department of Environment and Natural Resources (NCDENR) Division of Water Quality (DWQ) Stream Determination Forms were completed to document channel status as intermittent or perennial at proposed crossing locations.

### **Map Review**

The USGS topographic quadrangle depicts Dry Branch as perennial with adjacent swamp east and west of Erwin Road (Figure 2, enclosed). Intermittent tributaries are indicated both sides of Erwin Road. The NRCS soils survey depicts numerous intermittent and perennial tributaries to Dry Branch on the site, with potential hydric soils (Chewacla loam) mapped throughout the Dry Branch floodplain (see Figure 2). The NWI identifies the immediate floodplain of Dry Branch as palustrine, forested, broad-leaved deciduous, seasonally flooded (PFO1C) wetlands with adjacent peripheral, temporarily flooded (PFO1A) and emergent, persistent (PEM1A) wetlands where stream tributaries join the floodplain (see Figure 2).

#### **Field Observations**

The subject property includes approximately 100 acres traversed by maintained cleared overhead power and buried sewer line easements. The field and map review indicated the presence of contiguous bottomland floodplain wetlands associated with the Dry Branch stream channel along the length of the southern portion of the project study area. The stream channels (intermittent and perennial tributaries to Dry Branch) as well as the adjacent riparian wetlands may be considered jurisdictional waters of the U.S. (see Figure 2).

The proposed trail preferred alignment as identified in the field by LHPA on February 23, 2007 begins at the existing trailhead at Perry Creek Drive and progresses northeast along the existing gravel

Mr. Grayson Baur April 11, 2007 Page 3 of 6

footpath to an existing footbridge over Dry Branch. From there, the proposed alignment progresses southeast along the north side of the Dry Branch wetland area to Erwin Road, where there is a planned parking lot on the west side of the road. From Erwin Road, the trail parallels the existing power line easement along its north side, skirts the substation and crosses an unnamed tributary to Dry Branch (Channel #2). The trail continues along the north side of the wetlands and turns south to cross the wetland area in a direct (shortest distance) or winding route to the sewer pump station at which location this section of the trail terminates (Figure 3, enclosed). The trail crosses another unnamed tributary to Dry Branch just north of its terminus at the pump station. An additional approximately 1,000 feet of proposed trail was included running along the north side of the Eastowne Drive business park.

Field determination of wetland and stream locations and status within 25 feet of the proposed trail centerline completed on February 23, 2007 was consistent with the preliminary review completed on January 12, 2007 (see Figure 3). Dominant plant species in the wetland at the proposed trail crossing location included sweet gum (*Liquidambar styraciflua*), soft rush (*juncus* sp.), dog fennel (*Eupatorium capillifolium*) and a variety of grasses and sedges. Soils in this wetland area were of low chroma color with concretions and showed strong evidence of aquic moisture regime. Obvious indicators of wetland hydrology included saturation within the top 12 inches, water marks, drainage patterns, and large areas of inundation. Completed USACE Routine Wetland Determination Data Forms (enclosed) document potentially jurisdictional wetland and adjacent upland areas where the preferred trail alignment is proposed to cross. The potential wetland boundary in the proposed crossing vicinity, as flagged and GPS-located in the field, is depicted on Figure 3.

The preferred trail alignment contemplates two stream crossings in addition to the proposed crossing of the wetland area (which may be inclusive of one or more channels). The trail crossing of Channel #2 (see Figure 3) is located at an intermittent reach of an unnamed tributary to Dry Branch, flowing to the wetland area from the north. This channel rated 26.5 using the DWQ classification method (completed DWQ Stream Classification Forms enclosed). The proposed crossing of Channel #3 is located at a perennial reach of an unnamed tributary to Dry Branch flowing to the wetland from the south. This channel rated 32 using the DWQ classification method.

The approximate boundaries of jurisdictional waters of the U.S., including wetlands, are subject to change following verification by the USACE and DWQ. The wetland and stream estimates and the approximate location information are intended for preliminary planning purposes only.

#### **Wetland Jurisdiction**

On January 9, 2001, the U.S. Supreme Court ruled that the USACE exceeded its authority by asserting jurisdiction over abandoned, isolated gravel pits in Northern Illinois, which provided habitat to migratory birds (Solid Waste Agency of Northern Cook County v. USACE, commonly referred to as the SWANCC decision). In doing so, the Supreme Court rejected the "Migratory Bird Rule", adopted by the USACE in 1986, which the USACE had used to regulate isolated (intrastate) wetlands. In light of this ruling, the USACE Wilmington District has informally decided to make decisions on isolated

Mr. Grayson Baur April 11, 2007 Page 4 of 6

wetlands on an individual basis. Essentially, if a wetland has any drainage connectivity (any type of surface water feature) or any potential interstate commerce use (hunting, fishing, etc.) the USACE may consider it jurisdictional. In addition, the DWQ, under direction from the North Carolina Environmental Management Commission (EMC), has instituted "Temporary Isolated Wetland/Waters Permitting Rules" to regulate impacts to isolated wetlands. Therefore, if a wetland/water is not considered jurisdictional by the USACE, the DWQ will most likely assert jurisdiction over the wetland/water.

As a result of the Supreme Court decisions in United States v. Rapanos and United States v. Carabell, USACE and EPA are developing a policy that will clarify the methods that describe and document jurisdictional determinations. This policy may impact jurisdictional determinations, in cases where there are intermittent or ephemeral streams or wetlands adjacent to intermittent, ephemeral or perennial streams. In light of the pending release of formal guidance on this issue, when there are these types of waters present on a site, the Wilmington District will not issue a final determination until the final or additional interim guidance is issued by USACE headquarters. USACE has not been given a timeframe for the issuance of any formal guidance. The Wilmington District will continue to make jurisdictional calls, based on existing procedures, for waters not affected by the rulings. These include:

- Traditional navigable waters (Section 10);
- Isolated, non-navigable, intrastate (SWANCC);
- Wetlands or waters abutting Section 10 waters; and
- Natural tributaries that are relatively permanent, standing or continuously flowing, bodies of water such as streams and rivers.

The pending guidance affects procedures for processing stand-alone jurisdictional determinations. The Wilmington District is continuing to process and issue permits without delay. If forthcoming guidance should change USACE jurisdiction, then permit holders can request a revised jurisdictional determination; and corresponding permit requirements, such as mitigation, may be re-visited.

#### **Wetland Permitting**

Depending on the project and the type and extent of waters of the U.S., including streams and wetlands, to be impacted by a project, Section 404 CWA permitting requirements can range from activities that are considered exempt or preauthorized, to those requiring Pre-Construction Notification (PCN) for a Nationwide Permit (NWP) or requiring a Section 404 Individual Permit (IP) from the USACE, and Section 401 Water Quality Certification (WQC) from DWQ. Wetland permitting requirements are generally based on the linear footage of intermittent and perennial stream channel and the acreage of wetland impact, however, adjacent streams that directly influence the wetlands in question are also considered.

Limited impacts to waters of the U.S., associated with the construction or expansion of recreational facilities may be authorized under NWP 42 (and WQC 3402). Examples of recreational facilities that

Mr. Grayson Baur April 11, 2007 Page 5 of 6

may be authorized by this NWP include playing fields (e.g., football fields, baseball fields), basketball courts, tennis courts, hiking trails, bike paths, golf courses, ski areas, horse paths, nature centers, and campgrounds (excluding recreational vehicle parks). This NWP also authorizes the construction or expansion of small support facilities, such as maintenance and storage buildings and stables that are directly related to the recreational activity, but it does not authorize the construction of hotels, restaurants, racetracks, stadiums, arenas, or similar facilities. The discharge must not cause the loss of greater than ½-acre of non-tidal waters of the United States, including the loss of no more than 300 linear feet of stream bed, unless for intermittent and ephemeral stream beds this 300 linear foot limit is waived in writing by the district engineer. This NWP does not authorize discharges into non-tidal wetlands adjacent to tidal waters. The permittee must submit a pre-construction notification to the district engineer prior to commencing the activity. Additional conditions of NWP 42 include:

- 1. Discharges of dredged or fill material into waters of the U.S., including wetlands, within the floodway, resulting in permanent above-grade fills are not authorized by this NWP.
- 2. Discharges of dredged or fill material into waters of the U.S., including wetlands, within the mapped FEMA 100-year floodplain, below headwaters (i.e. <five cfs) resulting in permanent above-grade fills are not authorized by this NWP.
- 3. This NWP may not be used to authorize the discharges of dredged or fill material into waters of the United States that have been identified or designated by the State of North Carolina as:
  - a. Outstanding Resource Waters
  - b. High Quality Waters
  - c. Coastal Wetlands as defined by North Carolina's Coastal Area Management Act
  - d. Wetlands adjacent to these waters

Impacts allowable under NWP 42 involving greater than 1/3 acre of waters of the U.S., including wetlands, and/or greater than 150 linear feet of jurisdictional stream channel will also require notification to DWQ. In addition, where notification is required, mitigation will be required by DWQ for impacts to perennial<sup>1</sup> streams and/or greater than one-acre of wetlands.

All activities conducted under the NWP program must comply with the NP General Conditions. Permitting under Section 404 of the Clean Water Act may require coordination with interested agencies including, but not limited to USFWS, the North Carolina Wildlife Resources Commission, the State Historic Preservation Office, NCDENR, and the U.S. Environmental Protection Agency.

If jurisdictional areas to be impacted exceed ½ acre of wetlands and/or 300 linear feet of stream providing important aquatic function, then a Section 404 Individual Permit (IP) would likely be required for the proposed impacts. The IP process involves rigorous documentation and will require addressing protected species and cultural resources issues, an alternatives analysis, impact avoidance and minimization strategies, and compensatory wetland and/or stream mitigation. The IP process

DWQ defines perennial stream channels as those that rate 30 or more using the latest version of the Stream Identification Method



Mr. Grayson Baur April 11, 2007 Page 6 of 6

typically includes a 30-day public notice period with additional extended review by the regulatory agencies.

#### Recommendations

BAKER recommends that the jurisdictional boundaries of waters of the U.S., including wetlands, be verified by the USACE and DWQ prior to mechanized land clearing or impacts. The USACE and DWQ verification will provide appropriate documentation concerning the potential permitting of proposed site impacts. These recommendations do not consider floodway or floodplain fill restrictions or any other restrictions as mandated by local ordinance, State, or Federal regulation. The findings of our study are only applicable to the dates of our field review.

We appreciate the opportunity to conduct these environmental services for LHPA. Please contact Richard Darling at 919-459-9009, if you have any questions regarding this review.

Sincerely,

BAKER ENGINEERING NY, INC.

Richard B. Darling, C.E. Environmental Manager


JCA/DH/RBD:rbd


Enclosure(s) Figure 1 Location Map


Figure 2 Preliminary Wetland Map Figure 3 Preliminary Trail Map

Completed USACE Routine Wetland Determination Data Forms Completed DWQ Stream Classification Forms (Version 3.1)

\\Cary1\vol1\RDATA\Projects\110706\Assessment\Preliminary Review.doc







	Project / Site: De Creek  Applicant / Owner: Investigator: Armytor / Honeycett  Do normal circumstances exist on the site? Is the site significantly disturbed (Atypical situation is the area a potential problem area?  (explain on reverse if needed)	Yes No n)? Yes No Yes No	Date: 2/23/07 County: 07-me State: MC  Community ID: Transect ID: Plot ID: Wetland #1
L	VEGETATION  Dominant Plant Species Stratum Indicator	Dominant Plant Species	Stratum Indicator
	1. Sweetgim Tee FAct  2. Eypela (Sp) Twee FAct  3. Cay formal  4. Juncus (Sp) Factor  6. Sedges  7.  8.  Percent of Dominant Species that are OBL, FACW	9	
	Remarks: Wetland Vegetation Present Based Upon Gre Classified as FAC-OBL in the National List of Plant Species Solve of plant Species Property Species Solve of plant Species Property Species Solve of plant Species Property Species Solve of Plant Specie	eater than 50% of the Plant Ses that Occur in Wetlands.	pecies are/are not Sample plot was taken
	Recorded Data (Describe In Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available  Field Observations:  Depth of Surface Water: (in.)  Depth to Free Water in Pit: (in.)  Depth to Saturated Soil: (in.)	Secondary Indicato Oxidized Ro Water-Stain Local Soil S FAC-Neutra	Upper 12" seposits etterns in Wetlands rs: ots Channels in Upper 12" ed Leaves urvey Data
-	Remarks: Wetlink hydrology pres	ent	

Map Unit Name (Series and Phase)	:		Drainage Class	<b>:</b>
Taxonomy (Subgro	up):	· · · · · · · · · · · · · · · · · · ·	Confirm Mappe	d Type? Yes No
Profile Description: Depth (inches) Horizon  0-1 0  1- 0  6+	DIMANTEMAL	Mottle Colors (Munsell Molst)  6/8/7/5/	Mottle Abundance/Contrast	
Reducing	olpedon Odor Disture Regime g Conditions r Low-Chroma Color	OrganListedListed rsOther		s List
$\mu_{i}$	die soils pre	cat		
WETLAND DETE	RMINATION			
Hydrophytic Vegeta Wetland Hydrology Hydric Soils Presen	Present? Ye	es No es No No	Is the Sampling Within a Wetlar	
Army Corns of Engine	on (describe) is/is not ers Wetlands Delineat Cridera mart.	ion Manual	<del>-</del>	eria set forth in the 1987

Project / Site: Drag Creek Applicant / Owner: Investigator: Drangfon/ Haneycoth	Date: 2/23/07 County: Overage State: NC
Do normal circumstances exist on the site? Is the site significantly disturbed (Atypical situation is the area a potential problem area? (explain on reverse if needed)	YesNo Community ID: on)? Yes No Transect ID: Yes No Plot ID:
VEGETATION	
Dominant Plant Species  1. Pinus (lobletly)  2. Almerican Boach  3. Oak Red)  4.  5. Vina (Sp)  6.  7.  8.	Dominant Plant Species         Stratum         Indicator           9.
Remarks: Wetland Vegetation Present Based Upon Gr Classified as FAC-OBL in the National List of Plant Special Control of Vegetation Cyclevice  HYDROLOGY	eater than 50% of the Plant Species are/are not es that Occur in Wetlands. Sample plot was taken
Recorded Data (Describe In Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available Field Observations:  Depth of Surface Water: (in.)  Depth to Free Water in Pit: (in.)  Depth to Saturated Soil: (in.)	Wetland Hydrology Indicators  Primary Indicators:InundatedSaturated in Upper 12"Water MarksDrift LinesSediment DepositsDrainage Patterns In Wetlands  Secondary Indicators:Oxidized Roots Channels in Upper 12"Water-Stained LeavesLocal Soil Survey DataFAC-Neutral TestOther (Explain in Remarks)
Remarks:  No hydrology	present

Map Unit Name (Series and Phase):		Drainage Class	•	
Taxonomy (Subgroup):	Confirm Mapped Type? Yes No			
Profile Description: Depth Matrix Colors (inches) Horizon (Munsell Moist)  (-5 4/4 7.5	Mottle Colors (Munsell Moist)	Mottle Abundance/Contrast	Sanda Clar	
5-12 <u>\$14</u> 75 A	( 4/3 7. Syr	4/3/ < 5%	Shady Clay	
		· · · · · · · · · · · · · · · · · · ·		
Hydric Soil Indicators: HistosolHistic EpipedonSulfidic OdorAquic Moisture RegimeReducing ConditionsGleyed or Low-Chroma Co	High Orga Liste	cretions Organic Content in Su nic Streaking in Sandy d On Local Hydric Soil d on National Hydric S r (Explain in Remarks)	s List oils List	
Remarks: No hydric indi	leaders ov Sul	Shirts		
WETLAND DETERMINATION				
Hydrophytic Vegetation Present? Wetland Hydrology Present? Hydric Soils Present?	Yes No X Yes No X	Within a Wetla		
Remarks: Location (describe) is/is Army Corps of Engineers Wetlands Delir	neation Manual.		eria set forth in the 1987	

Project / Site: Dry Cleek Applicant / Owner: Investigator: Awington / Hunga etcl	Date: 7/23/077  County: Over State: N(
Do normal circumstances exist on the site? Is the site significantly disturbed (Atypical situation is the area a potential problem area? (explain on reverse if needed)	Yes No Community ID: Transect ID: Plot ID: Use Hand 中文
VEGETATION	
Classified as FAC-OBL in the National List of Plant Speci	eater than 50% of the Plant Species are/are not
HYDROLOGY	
Recorded Data (Describe In Remarks):  Stream, Lake, or Tide Gauge Aerial Photographs Other  No Recorded Data Available  Field Observations:  Depth of Surface Water:  Depth to Free Water in Pit:  (in.)	Wetland Hydrology Indicators  Primary Indicators:
Depth to Saturated Soil:(in.)	Local Soil Survey Data FAC-Neutral Test Other (Explain in Remarks)
Remarks: (Notland hydrology is	Orcen 1

Map Unit Na (Series and	ame Phase):	<u></u>		Drainage Class	<b>4</b>	
Taxonomy (	(Subgro	up):		Confirm Mapped Type? Yes No		
Profile Descrip Depth (inches) H O-L L-&		Matrix Colors [Munsell Moist]  4/4 95A  4/2 7, SA	Mottle Colors (Munsell Moist)  4/2 7.50  4/1/23/67.50  4/1/6 7.50	Mottle Abundance/Contrast  15% 101% 75%	Texture, Concretions, Structure, etc.  Uw  Clay  Sknaly Clay	
Hydric Soil I						
2	Histosol Histic Ep Sulfidic C Aquic Mo Reducing	ipedon			s List oils List	
Remarks:	h	settland soil	s are present			
WETLAND	DETE	RMINATION				
Hydrophytic Wetland Hyd Hydric Soils	drology l	tion Present? Present?	Yes No Yes No Yes No	ls the Sampling Within a Wetlar	g Point nd? Yes⊠ No	
Remarks: Army Corps o	f Enginee	rs Wetlands Deline	ation Manual.  Verycorenes & M	et he point to be	eria set forth in the 1987	

Proje Appl Inves	ect/Site: Dry Croek licant/Owner: Stigator: Arrington / Hineyouth		Date: 2/23/0 <sup>7</sup> County: Over to State: NC
Is the	normal circumstances exist on the site? he site significantly disturbed (Atypical situation he area a potential problem area? he plain on reverse if needed)	Yes	Community ID: Transect ID: Plot ID:
VEC	GETATION		
1 2 3 4 5 6.	Inant Plant Species  Sweet gun  Red might  Fire Gac  Fire (sp)  giound moss  Stratum Indicator  Tire Gac  Fire Gac  Sice Gac  Giound moss  Specient	Dominant Plant Species  9	
Pero	cent of Dominant Species that are OBL, FACW narks: Wetland Vegetation Present Based Upon Gr sified as FAC-OBL in the National List of Plant Species  750% of plant are Enc	, or FAC excluding FAC-) reater than 50% of the Plant Sp es that Occur in Wetlands.	pecies are/are not sample plot was taken
HYI	DROLOGY		
	Recorded Data (Describe In Remarks):  Stream, Lake, or Tide Gauge Aerial Photographs Other  No Recorded Data Available  Id Observations:	Wetland Hydrology Indi Primary Indicators:InundatedSaturated in U Water Marks Drift Lines Sediment De	Jpper 12"
	Depth of Surface Water:(in.)  Depth to Free Water in Pit:(in.)  Depth to Saturated Soil:(in.)	Water-Staine Local Soil S FAC-Neutral	ots Channels in Upper 12" ed Leaves urvey Data
Ren	marks: Ne hydrology present	to indicate a un-	Harl

Map Unit (Series a		<b>.</b>	<u></u>	Drainage Class:		
Taxonom	Taxonomy (Subgroup):			Confirm Mapped Type? Yes No		
Profile Des Depth (inches)	Horizon	474 751	1	•	Texture, Concretions, Structure, etc.  Sucky Clay	
8+	-	34 75	Y	>576 5/6 7.5	Sindy ( ) a)  [Clay time of this depth	
	Reducin	pipedon	High Orga Liste Liste	cretions (at depth) Organic Content in Sui unic Streaking in Sandy ed On Local Hydric Soils ed on National Hydric Sor (Explain in Remarks)	s List	
Remarks	Son	il is not hyp	Kič			
WETLA	ND DET	RMINATION	·	-		
Wetland I		Present? Y	'es <u> </u>	Is the Sampling Within a Wetlar	Point nd? Yes No	
Remarks: Army Corp	os of Engine	on (describe) is/is no ers Wetlands Delinea	tion Manual.	land based upon the crite	ria set forth in the 1987	

## 2 4

Date: Z-Z3-O7 Project:	Dry Con	Latit	ude:		
Evaluator: D. Hungar Site:	Stream	Long	gitude:		
Total Points:  Stream is at least intermittent	Dru Cra Stream Orange	Othe	er Quad Name:	<u></u>	
A. Geomorphology (Subtotal = 3.5)	Absent	Weak	Moderate	Strong	
1ª. Continuous bed and bank	(a)	1	2	3	
2. Sinuosity	0	(1)	2	3	
In-channel structure: riffle-pool sequence	(6)	1	2	3	
Soil texture or stream substrate sorting	(9)	1	2	3	
5. Active/relic floodplain	0	(1)	2	3	
6. Depositional bars or benches	(0)	1	2	3	
7. Braided channel	0	1	(2)	3	
8. Recent alluvial deposits	رق ا	1	2	3	
9 a Natural levees	(0)	1	2	3	
10. Headcuts		1	2	3	
11. Grade controls	0	0.5	1	1.5	
12. Natural valley or drainageway	0	(0.5)	1	1.5	
13. Second or greater order channel on existing USGS or NRCS map or other documented		No €0		Yes = 3	
Mar made ditches are not rated; see discussions in ma B. Hydrology (Subtotal = ) 14. Groundwater flow/discharge		1	2	. 3	
15. Water in channel and > 48 hrs since rain, or		(1)	2	3	
Water in channel dry or growing season	0	(V)_	2 🗦	_	
16. Leaflitter	1.5	1	0.5	0	
17. Sediment on plants or debris	(1)	0.5	1	1.5	
18. Organic debris lines or piles (Wrack lines)	(a)	0.5	11	1.5	
19. Hydric soils (redoximorphic features) present?	No	<b>(</b> 0)	Yes =	= 1.5	
C. Biology (Subtotal = $4$		_			
20 <sup>b</sup> . Fibrous roots in channel	3	(2)	1	0_	
21 <sup>b</sup> . Rooted plants in channel	3,	<b>3</b>	1	0	
22. Crayfish	0	0.5	1	1.5	
23. Bivalves	Ø	1	2	3	
24. Fish	0	0.5	11	1.5	
25. Amphibians	(6)	0.5	1	1.5	
26. Macrobenthos (note diversity and abundance)	0	0.5	1	1.5	
27. Filamentous algae; periphyton	<u> </u>	1	2	3	
28. Iron oxidizing bacteria/fungus.	<u> </u>	0.5	11	1.5	
29 b. Wetland plants in streambed	FAC = 0.5; FA	CW = 0.75; OI	3L = 1.5 SAV = 2	.0; Other =	
biltems 20 and 21 focus on the presence of upland plan	nts, Item 29 focuses on	the presence of	aquatic or wetland pla	ants.	
Notes: (use back side of this form for additional notes.)		Sketch:			

### North Carolina Division of Water Quality – Stream Identification Form; Version 3.1

Notifi Calonna Division of Water adding			,	
Date: Z-Z3-07 Project:	Dry Cros	Latitu	de:	
Evaluator: D. Huneyert Site:	Stream 2	Longi	tude:	
Total Points:  Stream is at least intermittent 26.5  if ≥ 19 or perennial if ≥ 30  County:	Oru Cros Stream 1 Orange	Other e.g. Qu	uad Name:	
A. Geomorphology (Subtotal = //. 5)	Absent	Weak	Moderate	Strong
1 <sup>a</sup> . Continuous bed and bank	0	1	(2)	3
2. Sinuosity	0	1	2	3
3. In-channel structure: riffle-pool sequence	0	1	2	3
Soil texture or stream substrate sorting	0	Ð	2	3
5. Active/relic floodplain	0	1	(2)	3
6. Depositional bars or benches	(0)	1	2	3
7. Braided channel	(6)	1	2	3
8. Recent alluvial deposits	0	1	2	3
9 a Natural levees	6	1	2	3
10. Headcuts	6	1	2	. 3
11. Grade controls	0	0.5		1.5
12. Natural valley or drainageway	0	(0.5)	1	1.5
Second or greater order channel on existing     USGS or NRCS map or other documented     evidence.	No <b>≠</b> 0		Yes = 3	
<sup>a</sup> Man-made ditches are not rated; see discussions in manu	al	<u> </u>	<u> </u>	
		•		
B. Hydrology (Subtotal = 7.5)	<del></del>	<del></del>		(3)
14. Groundwater flow/discharge	0	11	2	
15. Water in channel and > 48 hrs since rain, or Water in channel dry or growing season	0	1	0.5	3
16. Leaflitter	1.5	(1)	1	
17. Sediment on plants or debris	<u> </u>	0.5	1	
18. Organic debris lines or piles (Wrack lines)	0	0.5	Yes	
19. Hydric soils (redoximorphic features) present?	No No	€0)	1 105	= 1.0
C. Biology (Subtotal = 7.5)				
20 <sup>b</sup> . Fibrous roots in channel	3	(2)	11	0
21 <sup>b</sup> . Rooted plants in channel	3	(2)	1	0
22. Crayfish	0	(6.5)	1	1.5
23. Bivalves	(0)	1	2	3
24. Fish	(g)	0.5	1	1.5
25. Amphibians	Ö	0.5		1.5
26. Macrobenthos (note diversity and abundance)	(0)	0.5	1	1.5
27. Filamentous algae; periphyton	8	1	2	3
28. Iron oxidizing bacteria/fungus.	0	0.5	1 1	1.5
29 b. Wetland plants in streambed			_ = 1.5 SAV = 2	
b Items 20 and 21 focus on the presence of upland plants,	Item 29 focuses on	the presence of a	quatic or wetland pl	ants.
Notes: (use back side of this form for additional notes.)		Sketch:		*/ <b>Se</b>
		<del></del>		
	<del></del>	<del></del>		

Date: 2-23-07 Project: 1	Dry Crest	Latitu	ıde:	
Evaluator: 1) Hungeth Site: 5	tream 3	3 Long	Itude:	
Total Points: Stream is at least intermittent 7 County:	Orange	Other	r uad Name:	
f ≥ 19 or perennial if ≥ 30 ✓ ∠			·	
A. Geomorphology (Subtotal = (3.5)	Absent	Weak	Moderate	Strong
1 <sup>a</sup> . Continuous bed and bank	0	1	2	<u> </u>
2. Sinuosity	0	<u> </u>	2	3
In-channel structure: riffle-pool sequence	0	<b>9</b>	2	3
Soil texture or stream substrate sorting	0	(1)	2	3
5. Active/relic floodplain	0	1	2	<u>3</u>
S. Depositional bars or benches	0	(1)	2	3
7. Braided channel	(0)	1	2	3
3. Recent alluvial deposits	0.	1	(2)	3
<sup>a</sup> Natural levees	(0)	1	2	3
0. Headcuts	٠ (ق)	1	2	3
1. Grade controls	0	0.5		1.5
2. Natural valley or drainageway	0	70.5	1	1.5
<ol> <li>Second or greater order channel on <u>existing</u>         USGS or NRCS map or other documented         evidence.</li> </ol>	No =0		Yes = 3	
Man-made ditches are not rated; see discussions in manu	al			
B Hydrology (Subtotal = 8-5)				
B. Hydrology (Subtotal = 0 - 0 )  14. Groundwater flow/discharge	0	1	(3)	3
15. Water in channel and > 48 hrs since rain, or				
Water in channel dry or growing season	0	1	2	<u> </u>
16. Leaflitter	(1.5)	1	0.5	0
17. Sediment on plants or debris	0	(0.5)	1	1.5
	0	0.5	1	(1.5)
18 Organic debris lines or niles (Wrack lines)			Yes = 1.5	
Organic debris lines or piles (Wrack lines)     Hydric soils (redoximorphic features) present?		<b>₹</b> 6)	Yes =	
19. Hydric soils (redoximorphic features) present?		<del></del>	Yes =	
19. Hydric soils (redoximorphic features) present?  C. Biology (Subtotal = 1000)	No	<b>€</b>		
19. Hydric soils (redoximorphic features) present?  C. Biology (Subtotal = //O )  20 <sup>b</sup> . Fibrous roots in channel	No No	2	1 1	0
19. Hydric soils (redoximorphic features) present?  C. Biology (Subtotal =	(3)	2	1 1 1 2 4 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1	0
19. Hydric soils (redoximorphic features) present?  C. Biology (Subtotal = 1000)	3 3 0	<b>€</b>	1	0 0 1.5
19. Hydric soils (redoximorphic features) present?  C. Biology (Subtotal = (O))  20 <sup>b</sup> . Fibrous roots in channel 21 <sup>b</sup> . Rooted plants in channel 22. Crayfish	3 3 0	2 0.5 1	1 .1 1 2	0 0 1.5 3
9. Hydric soils (redoximorphic features) present?  C. Biology (Subtotal = // )  20 <sup>b</sup> . Fibrous roots in channel  21 <sup>b</sup> . Rooted plants in channel  22. Crayfish  23. Bivalves	3 3 0	2 2 0.5 1 0.5	1 .1 1 2	0 0 1.5 3 1.5
19. Hydric soils (redoximorphic features) present?  C. Biology (Subtotal =	3 3 0	2 2 0.5 1 0.5 0.5	1 1 2 1 1	0 0 1.5 3 1.5
19. Hydric soils (redoximorphic features) present?  C. Biology (Subtotal = // / / )  20 <sup>b</sup> . Fibrous roots in channel  21 <sup>5</sup> . Rooted plants in channel  22. Crayfish  23. Bivalves  24. Fish  25. Amphibians	3 3 0	2 2 0.5 1 0.5	1 2 1 1 1	0 0 1.5 3 1.5 1.5
19. Hydric soils (redoximorphic features) present?  C. Biology (Subtotal =	No  (3) (3) (6) (6) (6) (6) (6) (7) (8) (9) (9) (9) (9) (9) (9) (9) (9) (9) (9	2 2 0.5 1 0.5 0.5	1 1 2 1 1	0 0 1.5 3 1.5
19. Hydric soils (redoximorphic features) present?  C. Biology (Subtotal =/	8 3 3 0 0 0	2 2 0.5 1 0.5 0.5 0.5 0.5	1 1 2 1 1 1 1 2	0 0 1.5 3 1.5 1.5 1.5
19. Hydric soils (redoximorphic features) present?  C. Biology (Subtotal = // / )  20 <sup>b</sup> . Fibrous roots in channel  21 <sup>b</sup> . Rooted plants in channel	8 3 3 0 0 0	2 2 0.5 1 0.5 0.5 0.5 0.5	1 1 2 1 1 1 1 2	0 0 1.5 3 1.5 1.5 1.5