



VICINITY MAP

THE AREA DESCRIBED BY SPECIAL USE ZONING MAPS 10-21-2002, AND 10-10-2007, PART OF THIS APPLICATION, IS NOT BE EXISTING USE APPROVED BY OUR WASTEWATER TREATMENT PLANT

NOTE: ORANGE COUNTY WILL NOT BE RESPONSIBLE FOR ANY PAYMENT DRIVAGE THAT MAY RESULT FROM SERVICE VEHICLES.



RCD Disturbance Data:

1. We propose 15,700 sq. ft. of disturbance in the Impact Zone of the RCD for minor loading of the private area, but we are not clearing any existing hardwoods in this 15,700 sq. ft. of area plus trees.
2. For installation of stormwater management items, we will disturb 2,200 sq. ft. which will include the removal of some trees in the Impact Zone of the RCD.
3. Total Disturbance in the Impact Zone of the RCD will be 21,500 sq. ft.

- LEGEND**
- PROPOSED DRIVEWAY ENTRANCE
 - PROPOSED CONCRETE DRIVEWAY
 - PROPOSED VEHICLE TURN DIRECTION
 - PROPOSED HEAVY DUTY PAVEMENT
 - PARKING SPACE AREA TOTALS
 - PROPOSED CONCRETE, IRON & STEEL
 - PROPOSED HARDSCAPE PAVING BED
 - PROPOSED WALL/CHAIN FENCE
 - PROPOSED BRICK PAVING
 - PROPOSED 7' HIGH GATED IRON & STEEL
 - PROPOSED BUILDING - 57,000 SF




PHILIP POST & ASSOCIATES
 1000 S. Orange Blvd.
 Orange, CA 92668
 (714) 961-1111
 FAX: (714) 961-1112
 800 North Orange Street
 Orange, CA 92668
 (714) 961-1111

SITE PLAN
ORANGE UNITED METHODIST CHURCH
 ORANGE, CALIFORNIA

SCALE: 1"=40'
 DRAWN BY: JDP
 CHECKED BY: JDP
 DATE: 10/20/08
 PROJECT NO.: 080001
 SHEET NO.: 1-1
 THE CITY OF ORANGE HAS REVIEWED THIS PLAN AND APPROVES IT FOR THE CITY OF ORANGE. THE CITY OF ORANGE IS NOT RESPONSIBLE FOR THE ACCURACY OF THE INFORMATION PROVIDED BY THE APPLICANT.

REVISIONS:
 1. 10/20/08: AS SHOWN ON THIS SHEET.
 2. 10/20/08: AS SHOWN ON THIS SHEET.
 3. 10/20/08: AS SHOWN ON THIS SHEET.

SHEET 1-1
 OF 18



PHILIP POST & ASSOCIATES
 ARCHITECTS
 401 DRYDEN ROAD
 WELLSVILLE, NC 27784
 401-200-1800
 401-200-1801
 FAX 401-200-1802

PHILIP POST & ASSOCIATES
 ARCHITECTS
 401 DRYDEN ROAD
 WELLSVILLE, NC 27784
 401-200-1800
 401-200-1801
 FAX 401-200-1802

CONCEPT PLAN
 ORANGE UNITED METHODIST CHURCH
 TOWN OF ORANGE, NC
 ORANGE COUNTY, NC

SCALE: 1/4" = 1'-0"
DATE: 11/20/07
DESIGNED BY: J. POST
PROJECT NO.: 070001
DRAWING NO.: A-100001
 THIS DRAWING IS THE PROPERTY OF PHILIP POST & ASSOCIATES, ARCHITECTS. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREON. NO PART OF THIS DRAWING IS TO BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT THE WRITTEN PERMISSION OF PHILIP POST & ASSOCIATES, ARCHITECTS.

REVISIONS:

NO.	DESCRIPTION

SHEET 1
 OF 1



EXISTING BUILDING CLASS 1

EXISTING BUILDING CLASS 2

EXISTING BUILDING CLASS 3

PROPOSED MEDICAL BUILDING CLASS 4

PROPOSED FAMILY LIFE CENTER CLASS 4

MEMORIAL GARDEN & COLLEGIATE HALL

EXISTING PARKING LOT CLASS 1

EXISTING PARKING LOT CLASS 2

EXISTING PARKING LOT CLASS 3

PROPOSED PARKING LOT CLASS 4

HONEYDEAR ROAD

BOULEVARD

RT 202

RT 202

RT 202

RT 202

RT 202

RT 202

RT 202

RT 202

RT 202

RT 202

RT 202

RT 202

RT 202

RT 202

RT 202

RT 202

RT 202

RT 202

RT 202

RT 202

RT 202

RT 202

RT 202

RT 202



VICINITY MAP

NOTE: ORANGE COUNTY WILL NOT BE RESPONSIBLE FOR ANY INCIDENT DAMAGE THAT MAY RESULT FROM SERVICE VEHICLES



- LEGEND
- PROPOSED EDGE CHANNEL
 - PROPOSED CONCRETE SIDEWALK
 - PROPOSED VEHICLE FLOW DIRECTION
 - PROPOSED HEAVY DUTY PAVING
 - PARKING SPACE AREA TITLE
 - PROPOSED CONCRETE CURB & GUTTER
 - PROPOSED GRASSCUT PAVING STRIP
 - PROPOSED WHEELCHAIR RAMP
 - PROPOSED BRICK PAVING
 - PROPOSED T AND QUARTER CIRCLES & CUTS
 - PROPOSED BOLLARD - 3' DIA @ 12'

PHILIP POST & ASSOCIATES
 401 BROADWAY SUITE 100
 ORANGE, CA 92668
 (714) 961-1111
 FAX (714) 961-1112
 WWW.PHILIPPOST.COM
 OFFICE: 714-961-1111



SITE PLAN
 ORANGE UNITED METHODIST CHURCH
 ORANGE COUNTY, CA
 TOWN OF CHAPEL HILL

SCALE: 1"=20'
 DRAWN BY: J.P.P.
 CHECKED BY: J.P.P.
 DATE: 12/20/11
 PROJECT NO.: 11001
 DRAWING NO.: SITEPLAN
 2. ALL DIMENSIONS SHALL BE AS SHOWN UNLESS OTHERWISE NOTED.
 3. ALL DIMENSIONS SHALL BE TO FACE UNLESS OTHERWISE NOTED.
 4. ALL DIMENSIONS SHALL BE TO CENTER UNLESS OTHERWISE NOTED.

REVISIONS:
 1. INITIALS, DATE, AND DESCRIPTION
 2. REVISION NO. AND DATE
 3. REVISION DESCRIPTION

SHEET 0-1
 OF 11

EROSION CONTROL MEASURES

1. Obtain all necessary permits from Orange County and any other applicable agencies.
2. Determine and build a pre-vegetation program with the Division of Forestry.
3. All erosion control measures shall conform to the plan, details and specifications as shown on the plans and to the Orange County Division Control Manual.
4. Install all plans, sediment pond, temporary diversion, and other erosion control measures on the approved plans before beginning any land disturbing activities.
5. Temporary diversion, with stone check dams as necessary, shall be installed as needed to direct all surface water runoff from construction areas or into an area controlled by all other erosion control measures.
6. The contractor shall adhere to all clearing limits and stumps only as necessary to install infrastructure.

Other Quality Measures

1. Clearing of this project to be placed in Florida's Best Management Practices and description, Florida Control & to be placed in Florida's Best Management Practices.
2. Please LULU & S are to be cleared and graded as one area, and all erosion control devices are to be installed at the onset of the project, initial primary access is to be done Stage 1st, at the clear-cut locations of Chapter 62B.
3. Clearing shall be limited to the minimum area needed to install sediment control devices and to be done in a manner that minimizes soil erosion.
4. Sediment ponds shall have 60' of buffer, clear, temporary rock rip-rap and drainage to be placed prior to use.
5. Driveway of the shall require frequent watering of temporary diversion ditches & better required watering measures are brought to grade. Contractor shall meet the requirements as necessary with the project engineer and Florida's Control Manual to make required adjustments.

NOTES

1. Approved and maintain erosion measures as required after each work area.
2. All graded areas are to be planted or protected with protective cover vegetation to maintain erosion within 12 working days after the completion of any phase of grading.
3. All areas upon which no further land disturbing activity will be undertaken are to be planted or protected with protective cover within 12 working days.
4. All land clearing debris, stumps, stumps, rocks and stumps are to be removed from the site by the contractor to an approved location.
5. Exp road and drive off the street and drive on all time.
6. After an area is disturbed, remove any erosion control devices and properly dispose of all removed sediment and debris from the driveway and within the driveway.
7. Storage is that impervious with the erosion control/separator as required and all the requirements of the approved erosion control plan have been completed.
8. A CONNECTION OF NON-RESIDENTIAL AREA IS CONVEYANCE OF DRAINAGE POINTS AS TO PERMANENT WATER QUALITY POINTS SHALL NOT TAKE PLACE UNTIL THE DIVISION CONTROL INSPECTOR HAS REVIEWED.



PHILIP POST & ASSOCIATES
 ENGINEERS
 ARCHITECTS
 401 PROGRESS ROAD
 SUITE 100
 ORANGE, FL 32714
 (407) 266-1111
 (407) 266-1112
 (407) 266-1113
 (407) 266-1114
 (407) 266-1115

INITIAL EROSION CONTROL PLAN
ORANGE UNITED METHODIST CHURCH
 TOWN OF ORANGE, FL
 ORANGE COUNTY, FL

DATE: 12/15/2011
DESIGN BY: JPK
CHECKED BY: JPK
DATE: 12/15/2011
SCALE: AS SHOWN
PROJECT: ORANGE UNITED METHODIST CHURCH
LOCATION: 401 PROGRESS ROAD, SUITE 100, ORANGE, FL 32714
CLIENT: PHILIP POST & ASSOCIATES
PROJECT NO.: 11-001
SHEET NO.: 1 OF 1
TOTAL SHEETS: 1



LEGEND

- EXISTING TROUBLE
- PROPOSED TROUBLE
- EXISTING TREE TO REMAIN & CRITICAL ROOT ZONE
- EXISTING TREE TO BE REMOVED & CRITICAL ROOT ZONE
- PROPOSED TREE PROTECTION FENCE
- PROPOSED 30' TREE PROTECTION FENCE
- PROPOSED SHADING AREA (20' x 30' OR 10' x 10')
- PROPOSED TREE
- PART OF NEW PLANTING

PLANT SCHEDULE

PLANT	QUANTITY	PLANT	QUANTITY
1. 12" DB CALLEDOA	10	11. 12" DB CALLEDOA	10
2. 12" DB CALLEDOA	10	12. 12" DB CALLEDOA	10
3. 12" DB CALLEDOA	10	13. 12" DB CALLEDOA	10
4. 12" DB CALLEDOA	10	14. 12" DB CALLEDOA	10
5. 12" DB CALLEDOA	10	15. 12" DB CALLEDOA	10
6. 12" DB CALLEDOA	10	16. 12" DB CALLEDOA	10
7. 12" DB CALLEDOA	10	17. 12" DB CALLEDOA	10
8. 12" DB CALLEDOA	10	18. 12" DB CALLEDOA	10
9. 12" DB CALLEDOA	10	19. 12" DB CALLEDOA	10
10. 12" DB CALLEDOA	10	20. 12" DB CALLEDOA	10

THIS AREA DELINEATED BY DOTTED LINE SHOWS PLANTING TO BE DONE BY THE CONTRACTOR AND IS NOT PART OF THIS APPLICATION
 1" = 10' OF DISTANCE
 THIS AREA IS TO BE APPROVED BY THE HOUSING DEPARTMENT



PHILIP POST & ASSOCIATES
 145 S. PALM BEACH BLVD.
 SUITE 200
 WEST PALM BEACH, FL 33411
 TEL: 561-833-1111
 FAX: 561-833-1112

LANDSCAPE PLAN
ORANGE UNITED METHODIST CHURCH

DATE: 01/15/2010
 DRAWN BY: J.P.
 CHECKED BY: J.P.
 SCALE: AS SHOWN

REVISIONS:
 1. 01/15/2010 - INITIAL DESIGN
 2. 01/20/2010 - REVISED DESIGN
 3. 01/25/2010 - REVISED DESIGN

SHEET 0-1
OF 18




1986 Fellowship Hall



1986 Fellowship Hall



Birdseye View – New Worship Center



Birdseye View – Master Plan



McCLURE HOPKINS
architects

1848 WAKE FOREST RD, RALEIGH, NC 27608
tel: 919 836 2205 fax: 919 836 2201

Orange United Methodist Church


Chapel Hill, North Carolina

DETAILED SITE PLAN

SCALE: 1'-0" = 30'-0"


DATE: DECEMBER 18 2007

Detailed Site Plan – New Worship Center



Plan – New Worship Center

Upper Level



Plan – New Worship Center

Lower level



On-Campus View



On-Campus View



View from MLK Blvd



View from MLK Blvd



View from MLK Blvd



Street Elevation

West



Parking Elevation

North



On-Campus Views



On-Campus View – New Worship Center



On-Campus View – Master Plan




View from Homestead Road



View from Homestead Road – New Worship Center




View from Homestead Road – Master Plan



Parking lot buffer modification



Parking lot buffer modification



Parking lot buffer modification



Orange United Methodist Church - Comments



- RCD Disturbance Notes.
1. We propose 13,700 sf of disturbance in the Impact Zone of the RCD for minor loading of the private area, but we are not clearing any existing hardwoods in this 13,700 sf, only some pine trees.
 2. For installation of stormwater management items, we will disturb 2,100 sf, which will include the removal of some trees in the Impact Zone of the RCD.
 3. Total Disturbance in the Impact Zone of the RCD will be 21,800 sf.

- LEGEND
- PROPOSED DRIVE ENTRANCE
 - PROPOSED DRIVE, DRIVE
 - PROPOSED DRIVE TURN DIRECTIONS
 - PROPOSED DRIVE SPLIT POINTS
 - PARKING SPACE AREA TOTALS
 - PROPOSED DRIVE, LANE & GETTER
 - PROPOSED WALKWAY PARKING STOP
 - PROPOSED WALKWAY PAUP
 - PROPOSED BIKE PARKING
 - PROPOSED 7 FOOT DARTER CROSSING & BOX
 - PROPOSED BUILDING - 27,200 SF



PHILIP
POST
&
ASSOCIATES

SITE PLAN
ORANGE UNITED METHODIST CHURCH

THE AREA DESCRIBED BY SPECIAL USE ZONING MAP IS NOT PART OF THIS APPLICATION. USE OF THE ZONING MAP IS APPROVED BY OUR REPRESENTATIVE AND BY:

NOTE: ORANGE COUNTY WILL NOT BE RESPONSIBLE FOR ANY PAYMENT DRIVAGE THAT MAY RESULT FROM SERVICE VEHICLES.



SCALE: AS SHOWN BY ASH 1/8" = 20'-0"

DATE: 01/20/2010

DRAWN BY: JACOB

PROJECT: ORANGE UNITED METHODIST CHURCH

NO PART OF THIS PLAN SHALL BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM.

REVISIONS	DATE	BY	DESCRIPTION

SHEET 2-3
OF 18