

Comparison of Requirements in OI-4 Zoning District vs. Other Zoning Districts

Shading Key		
OI-4 Standards exceed other standards	Other Standards exceed OI-4 standards	
OI-4 standards are applied system-wide (vs. project level) and reviewed in a two-step process	No Difference	
UNC Chapel Hill has voluntary standards in place		
that exceed local regulatory standards	N. Committee of the Com	

General LUMO Requirements	OI-4		Other Districts	
Traffic & Transportation	On-going traffic and transportation analyses are required	Reports are submitted every 3 years; reports may generate additional requirements any time during life of the DP	One traffic study is required at permit submission stage	
	Maintenance of roadways		N/A	
	Signal timing		N/A	
	District wide application is more comprehensive		Project Level application	
	Transit system contributions		N/A	
	System-wide transportation improvements are approved in the DP	Project related improvements are approved at SDP	Project related transportation improvements may be required at project construction	
Noise	Noise requirements are approved in the Development Plan (DP)	Second approval at Project Site Development Permit (SDP). Must demonstrate compliance with the Town Noise Ordinance	Must comply with town noise ordinance at permit submission stage	
Stormwater	Standards are Comparable		Standards are Comparable	



Public Utilities Perimeter Transition	System wide stormwater plan and proposed improvements are approved in DP. System level projects are reviewed approved at DP Approaches to	Second approval at Project SDP. Must meet or exceed approved Stormwater Management Performances (approved by CHTC on 6-2-01) Project level utilities are approved at the Project SDP, along with associated system-wide improvements Specific	Projects must comply with LUMO 5.4 At permit approval stage LUMO 5.12. Reviewed once.
Area	addressing screening, exterior lighting, height limits and landscaping are identified on a project basis at approval of DP for all projects next to a residential neighborhood	improvements are addressed at project level; neighborhood involvement is required prior to SDP submission. University has voluntarily extended this requirement to include substantially greater levels of neighborhood involvement than required in the DP	protection districts are applied to project in a protected neighborhood.
Erosion and Sedimentation Control	All projects are subject to State Erosion Control permit requirements.		Section 5.3.1 of LUMO requires a certification of compliance for all zoning compliance permits.
Steep Slopes	Considered		Section 5.3.2 of

Shading Key		
OI-4 Standards exceed other standards	Other Standards exceed OI-4 standards	
OI-4 standards are applied system-wide (vs. project level) and reviewed in a two-step process	UNC Chapel Hill has voluntary standards in place that exceed local regulatory standards	



	environmentally		LUMO Addresses
	sensitive areas and		construction
	are generally		techniques for
1	protected in the		specific slopes.
	Development Plan .		Construction on
İ	(See Development Plan		slopes greater
	Addendum No. 1, August 7, 2001, Construction Guidelines)		than 25% requires
	Í		a variance from
i			the Board of
			Adjustment
Tree Protection Plan	Tree Protection	The University has	Tree protection
ĺ	Ordinance (LUMO 5.7)	implemented The	ordinance does
	does not apply to	University Task	not apply to OI-3,
Ì	Ol-4. Development	Force report on	Single Family or
	Plan language and	Landscape	Duplex dwellings
ļ	University guidelines	Heritage & Plant	generating less
	do require tree	Diversity which	than 5,000 SF of
	protection. (See	contains protection	disturbance
	Development Plan Addendum	measures for all	
	No. 1, August 7, 2001, Construction Guidelines)	Heritage Trees	
	·	and Landmark	
		spaces on campus	
		in addition to	
		standard tree	
		protection	
		measures.	
Tree Replacement	Tree Protection	The University has	Specified in Tree
Policy	Ordinance (LUMO 5.7)	implemented The	Protection
	does not apply to	University Task	Ordinance
	OI-4.	Force report on	(Section 5 of
		Landscape	TOCH Design
		Heritage & Plant	Manual), does not
		Diversity which	apply to OI-3,
		contains specific	Single Family or
		recommendations	Duplex dwellings
		for tree	generating less
		replacement.	than 5,000 SF of
		MARKET PROPERTY.	disturbance
Landscape Standards	LUMO 5.7.4	The University has	The LUMO
	contains landscape	implemented The	contains specific
	protection plan	University Task	quidelines in the

Shading Key		
OI-4 Standards exceed other standards	Other Standards exceed OI-4 standards	
OI-4 standards are applied system-wide (vs. project level) UNC Chapel Hill has voluntary standar		
and reviewed in a two-step process	exceed local regulatory standards	



	standards as part of the tree protection ordinance, from which OI-4 is exempt. Many of these standards are included in the DP guidelines along with: general landscape principles of the University; preferred use of plant materials and preferred plant types. (See Development Plan Addendum No. 1, August 7, 2001, Construction Guidelines) Standard town landscape details are provided for OI-4 projects	Force report on Landscape Heritage & Plant Diversity which contains campus landscape design, planning, & hardscape guidelines, and recommendations for each district of campus as well as recommended plantings.	Design Manual, section 5: Landscaping and Tree Protection in addition to the standards in chapter 5.7.4.
Landscape Buffers	OI-4 does not contain specific buffer planting criteria	Developments adjacent to OI-4 are not required to provide a buffer	LUMO 5.6.6 contains a schedule of required buffers
			and the Design Manual specifies types of plantings and spacing for buffers.
Parks and Open	The DP contains		LUMO 5.5 applies
Space	guidelines for		only to major
	proposition existing		subdivisions or
	preserving existing open spaces in OI-4		subdivisions or multi-family
	open spaces in OI-4 and reclaiming		
	open spaces in OI-4 and reclaiming important		multi-family
	open spaces in OI-4 and reclaiming important environmental		multi-family
	open spaces in OI-4 and reclaiming important environmental features as possible. (See Development Plan	,	multi-family
Streets/Pedestrian/Bi	open spaces in OI-4 and reclaiming important environmental features as possible.	,	multi-family

Shading Key		
OI-4 Standards exceed other standards	Other Standards exceed OI-4 standards	
OI-4 standards are applied system-wide (vs. project level)	UNC Chapel Hill has voluntary standards in place that	
and reviewed in a two-step process	exceed local regulatory standards	



	r	I	
cycle Access	bicycle racks, bus		states Internal
	stop shelters,		pedestrian/
1	walkways that are		bicycle amenities
	accessible. The DP		shall be provided
	contains standards		as per the Town
	for street width,		Design Manual
	walkway dimensions		standards, which
	and pedestrian		are comparable to
	safety		those in the DP
			(See Design Manual
			Supplement, resolution 2000-10-11/R-7b)
Lighting	Lighting plan		Lighting
Lighting	submitted as part of		standards in
	SDP; must be		LUMO 5.11 are
	certified and comply		identical to those
	with standards in		in the SDP
	Site Development		Application
	•		Standards
	Permit Application standards		Stariuarus
Simpone			LUMO 5.14
Signage	Public Property is		
	exempt from the		regulates signs
	LUMO signage		visible from the
	requirement. The		public right-of-way
	University's Exterior		
	Signage Guidelines		
	were implemented in		
	February 2003.		
Solid Waste	The University	The University has	LUMO 5.13
Collection and	established a solid	instituted a	requires
Recycling	waste management	comprehensive	developments to
	plan with Orange	recycling program,	provide a solid
	County and the	one of the	waste
	Town accepted this	sustainable	management plan
	plan as in	programs that	
	compliance with this	earned UNC a	
	requirement.	State	
	Specific guidelines	Sustainability	
	for a construction	Award this year.	
	waste management		
	plan in OI-4 are		
	contained in the		

Shading Key		
OI-4 Standards exceed other standards Other Standards exceed OI-4 standards		
OI-4 standards are applied system-wide (vs. project level) UNC Chapel Hill has voluntary standards in pl		
and reviewed in a two-step process	exceed local regulatory standards	



	Development Plan		
	Addendum No. 1,		
"	August 7, 2001,		
	Construction		
	Guidelines	100 100 100 100 100 100 100 100 100 100	
Water and Sewer	District wide	The University is	Projects must
	improvements are	partnering with	comply with LUMO 5.12 at
	identified in the DP.	OWASA to build a	time of
	Project related	new water reclamation	submission
	improvements are		Submission
	reviewed and	system on	
	approved in the SDP	campus, improving the efficiency and	
	process	redundancy of the	
		system which will	
		reduce the	
		University demand	
		for potable water	16
		and postpone the	
		need for OWASA	
		to expand the	
		potable water	
		supply.	
Performance	The requirements in	Man Hall	LUMO 5.15
Standards During	the LUMO are met		applies to all
Construction	and exceeded in the		permits except
Construction	Management Plan		Site Development
Ì	requirements below		Permits
	Traffic Management	Must comply with	
	Plan	the University's	
·		"Construction	
		Management	
		Guidelines"	
		contained in the	
		August 7, 2001	
		Addendum and	
		approved by the	
		Town Manager	
		prior to	
		CONTRACTOR AND PROPERTY.	ı
<u> </u>		construction Must comply with	

Shading Key		
OI-4 Standards exceed other standards	Other Standards exceed OI-4 standards	
OI-4 standards are applied system-wide (vs. project level) and reviewed in a two-step process	UNC Chapel Hill has voluntary standards in place that exceed local regulatory standards	



General LUMO Requirements	OI-4	Other Districts
------------------------------	------	-----------------

Managaman Dia	the Helmanital	ı
Management Plan	the University's	
100000000000000000000000000000000000000	"Construction	
	Management	
	Guidelines"	
	contained in the	
	August 7, 2001	
	Addendum and	
	CONTRACTOR OF THE CONTRACTOR O	
	approved by the	
	Town Manager	
	prior to	
	construction	
 Construction Traffic	Must comply with	
Management Plan	the University's	
Wanagement ian	"Construction	
	Company of the Compan	
THE RESERVE OF THE PARTY OF THE	Management	
	Guidelines"	
	contained in the	
	August 7, 2001	
	Addendum and	
Rentmini Street	approved by the	
	The state of the s	
	Town Manager	
	prior to	
	construction	

Shading Key				
OI-4 Standards exceed other standards	Other Standards exceed OI-4 standards			
OI-4 standards are applied system-wide (vs. project level) and reviewed in a two-step process	UNC Chapel Hill has voluntary standards in place that exceed local regulatory standards			